

## HEALTH MONITORING REPORT (Ca1-2TT2-18 mouse)

In accordance with FELASA recommendations

<b>Date of issue:</b> 27.01.19KO		<b>Unit:</b> Canthia 1-2, conventional; <b>decontaminated Dec 2014</b> ; animals from Snellmania unit transferred in July 2017.				
<b>Species:</b> Mouse		<b>Strain:</b> Flt-1 TK KO; ANRIL KOxLDLRapoB; ANRIL KOxLDLRapoB; Nrf2/Tie2xLDLR-ko; JAXC57BL/6J;				
<b>Latest test date:</b> 10.12.2018		<b>Species and strains present within the unit:</b> Mouse; inbred strains, gene modified strains; Rat: : RCS dystrophic; RccHan:WIST; Rabbits				
		<b>Latest results</b>	<b>Testing laboratory</b>	<b>Test method</b>	<b>Results 4.6.2018</b>	<b>Results 2017</b>
<b>Viruses</b>						
Ectromelia Virus	serum	NT	SDL	BEAD	0/17	0/3
Epizootic Diarrhoea of Infant Mice	serum	0/7	SDL	PCR	0/17	0/12
Hantaan Virus	serum	NT	SDL	BEAD	0/17	0/3
K Virus	serum	NT	SDL	BEAD	0/17	0/3
Lactate Dehydrogenase Elevating Virus	serum	NT	SDL	BEAD	0/17	0/3
Lymphocytic Choriomeningitis Virus	serum	NT	SDL	BEAD	0/17	0/3
Minute Virus of Mice	serum	0/7	SDL	PCR	0/17	0/12
Mouse Adenovirus 1	serum	NT	SDL	BEAD	0/17	0/3
Mouse Adenovirus 2	serum	NT	SDL	BEAD	0/17	0/3
Mouse Cytomegalovirus	serum	NT	SDL	BEAD	0/17	0/3
Mouse Encephalomyelitis Virus	serum	0/7	SDL	PCR	0/17	0/12
Mouse Hepatitis Virus	serum	0/7	SDL	PCR	0/17	0/9
Mouse Parvovirus	serum	0/7	SDL	BEAD	0/17	0/9
	faecal	NT	SDL	PCR	0/3	NT
	pooled faecal	NT	SDL	PCR	0/3	NT
NS1	serum	0/7	SDL	BEAD	0/17	0/9
Mouse Thymic Virus	serum	0/7	SDL	BEAD	0/17	0/3
Murine Norovirus	serum	0/7	SDL	BEAD	0/17	0/12
	pooled faecal	NT	SDL	RT/PCR	NT	NT
Pneumonia Virus of Mice	serum	0/7	SDL	BEAD	0/17	0/9
Polyoma Virus	serum	NT	SDL	BEAD	0/17	0/3
Reovirus Type 3	serum	0/7	SDL	BEAD	0/17	0/12
Sendai Virus	serum	0/7	SDL	BEAD	0/17	0/12
<b>Bacteria, Mycoplasma and Fungi</b>						
<i>Bordetella bronchiseptica</i>	swab	0/7	SDL	CULT/AGG	0/20	0/12
CAR bacillus	serum	NT	SDL	BEAD/IFA	0/17	0/3
<i>Citrobacter rodentium</i>	faecal	0/7	SDL	CULT	0/20	0/12
<i>Clostridium piliforme</i>	serum	0/7	SDL	BEAD	0/17	0/12
<i>Corynebacterium kutscheri</i>	swab	0/7	SDL	CULT	0/20	0/12
<i>Helicobacter spp.</i>	pooled faecal	0/6	SDL	PCR	0/20	0/12
	faecal	NT	SDL	PCR	0/3	NT
<i>Klebsiella spp.</i>	faecal	0/7	SDL	CULT	0/20	0/12
<i>Mycoplasma spp</i>	serum	0/7	SDL	BEAD	0/17	0/12
Pasteurellaceae	swab	0/7	SDL	CULT	0/20	0/12
<i>Pasteurella pneumotropica</i> (Heyl; Jawetz)	swab	0/7	SDL	PCR	2/20	0/12
<i>Pasteurella pneumotropica</i> (Heyl; Jawetz)	pooled faecal	4/6	SDL	PCR	0/20	2/12
<i>Pasteurella pneumotropica</i> (Heyl; Jawetz)*	oral	NT	SDL	PCR	0/20	2/9
<i>Pseudomonas aeruginosa</i>	swab/pooled	0/7	SDL	CULT	0/20	0/12
<i>Pneumocystis murina</i>	serum	0/7	SDL	BEAD	0/17	0/3
<i>Salmonella spp.</i>	faecal	0/7	SDL	CULT	0/20	0/12
<i>Streptobacillus moniliformis</i>	faecal	0/7	SDL	CULT	0/20	0/12
β -haemolytic <i>Streptococci</i>	swab	0/7	SDL	CULT	0/20	0/12
<i>Staphylococcus aureus</i>	swab	0/7	SDL	CULT	0/20	0/12
<i>Streptococcus pneumonia</i>	swab	0/7	SDL	CULT	0/20	0/12
<i>Yersinia spp.</i>	faecal	0/7	SDL	CULT	0/20	0/12
<b>Parasites</b>						
Arthropods	fur	0/7	LAC	MICR	0/20	0/3
Intestinal protozoa	faecal pellets	NT	SDL	FLOT/MICR	0/20	0/3
<i>Entamoeba spp</i>	pooled faecal	0/6	SDL	PCR	0/20	1/9
<i>Entamoeba muris</i>	faecal pellets	NT	SDL	MICR	10/20	0/3
<i>Giardia, Spironucleus</i>	faecal pellets	0/6	SDL	PCR	0/20	0/12
<i>Trichomonas, Tetratrichomonas, Enteromonas, Chilomastix sp</i>	faecal pellets	NT	SDL	PCR	0/20	0/12
Faecal ova	faecal pellets	NT	SDL/AB	FLOT/MICR	0/20	0/12
Intestinal helminths	faecal pellets	NT	SDL/AB	MICR	0/20	0/12

## HEALTH MONITORING REPORT (Ca1-2TT2-18 mouse)

In accordance with FELASA recommendations

<i>Aspiculuris tetraptera</i>	faecal pellets	0/6	SDL/AB	PCR	0/20	0/12
<i>Syphacia obvelata</i>	faecal pellets	0/6	SDL/AB	PCR	0/20	0/12
<b>Necropsy</b>						
External Lesions/Abnormalities	animal	NT	SDL	STEREO	0/20	0/3
Internal Lesions/Abnormalities	animal	NT	SDL	STEREO	0/20	0/3

*Pasteurella pneumotropica* by PCR in mice rooms 1224/2, 1225, 1230 and 1231;

**From same unit:**

none

**From other units of LAC:**

*Bioteknia 2* — *Pasteurella pneumotropica* in mice pooled faecal PCR rooms 04119 and 0430 and oral for the 04119;

*Entamoeba muris* from mice rooms 04119.

*Helicobacter spp* by PCR did not confirm in double testing and therefore shown as neg.

**Historical results:**

**4.6.18**

Barrier — *Pasteurella pneumotropica* pos from the room 1258/2 by oral sample by PCR, pooled sample involving the same mouse was neg. **Testing for *Pasteurella pneumotropica* is active, no pos results.**

Canthia — *Pasteurella pneumotropica* in mice rooms 1224/2 and 1255;

*Entamoeba muris* from mice rooms 1224/2; 1226; 1228; 1230; 1231 and rat room 1233

*Staphylococcus aureus* from rabbit room 1184

*Bioteknia 2* — *Entamoeba muris* from rat by microscopy room 0419.

**6.11.17**

Barrier — *Pasteurella pneumotropica* pos from the room 1258/2 by oral sample by PCR, pooled sample involving the same mouse was neg. **Testing for *Pasteurella pneumotropica* is active, no pos results.**

Canthia — *Entamoeba spp* pooled faecal sample in mice (rooms 1231). *Pasteurella pneumotropica* oral sample by PCR from mice room 1226 (Heyl) oral and pooled from room 1224/2 (Jawetz) and pooled from room 1225 (Jawetz). Rats positive by oral and pooled rooms 1228 and 1233 (Jawetz), cultures neg.

*Bioteknia 2* — *Entamoeba spp* pooled faecal sample in mice (room 0249); *Pasteurella pneumotropica* oral sample by PCR rats room 0420 (Jawetz).

**12.05.17**

Barrier — *Pasteurella pneumotropica* (Jawetz) positive mouse from room 2251 by pooled faecal samples by PCR, swabs were neg, **considered as negative** as further test from faecal pellets and throat by PCR were neg (PCR, Idexx, 5 animals including former pos. cagemade)

Canthia — *Pasteurella pneumotropica* (Jawetz) positive mice rooms 1224/2 and 1230 and rats from rooms 1226 and 1228 by PCR by faecal samples, swabs were neg – **counted as neg**

Snellmania conventional — *Pasteurella pneumotropica* (Jawetz) positive mice from room 2242 by faecal samples by PCR, swabs were neg – **counted as neg**. *Entamoeba spp* pooled faecal sample in mice (room 2217).

*Pasteurellaceae* were cultivated from rabbit in room 2245. *Pasteurella pneumotropica* (Jawetz & Heyl); *Pasteurella multocida* and *Bordetella bronchiseptica* and *Pasteurellaceae spp* **were negative** from faecal PCR by SDL and from additional swabs taken for cultivation on 8. June from (the same animals tested by Movet).

**28.11-2.12.16**– Snellmania conventional — *Entamoeba spp* pooled faecal sample in mice (rooms 2216, 2255)

Canthia — *Entamoeba spp* pooled faecal sample in mice (rooms 1224) and in rats (rooms 1226, 1229, 1233)

**No positive findings on testing 2015 - May; Nov and 2016 - April.**

**Former outbreaks:**

2014 in Canthia 1 — *Helicobacter rodeo/3ium* was found rats and in Canthia 2 mice were positive *H. hepaticus* and *H. rodeo/3ium*); Murine norovirus. All mice killed before decontamination. **Canthia unit was under major cleaning and decontamination with hydrogen peroxide in Dec 2014. Only rats were kept and treated to eliminate *Helicobacter spp* (Nov 2014...February 2015) and additionally tested in March and April 2015. All results neg.**

**Mouse Parvovirus (MPV) found from mesenteric lymph nodes and faecal samples in mice in May 2011 from Bioteknia 2, Canthia 1 Snellmania Barrier and –Conventional. Barrier was renovated and biodecontaminated. New animals arrived 19. July 2012. From other units all samples neg since 2012.**

**A. tetraptera in Canthia 1 found in 2011. Rodeo/3s were medicated with fenbendazole January-March 2012. All samples after that neg.**

1. Historical and latest test results: Number of animals positive / number of tested animals; 0/3 not tested.
2. Abbreviations of laboratories: SDL: Surrey Diagnostics Limited, UK; Kuopio; LAC – Lab Animal Centre, University of Eastern Finland, Kuopio.
3. Abbreviations of methods: BEAD – bead multiplex assay; MFIA: Multiplexed fluorometric immunoassay; CULT: Culture; Veterinarian Kai Ökva, LAC, UEF, P.O.Box 1627, 70211 Kuopio. E-mail: kai.okva@uef.fi Tel: +358-40-3553346  
W:\VK\04\_ELAIMET\07\_Terveystarkkailut\2018\Saannolliset\05\_Koosteet\TT2-18\Word\Ca1TT2-18 mouseKO.docx

## **HEALTH MONITORING REPORT (Ca1-2TT2-18 mouse)** In accordance with FELASA recommendations

PCR: Polymerase Chain Reaction; ELISA - enzyme-linked immunosorbent assay; IFA - Immunofluorescence assay; MICR: Microscopy; FLOT – Faecal Flotation; STEREO – stereomicroscope; visual – visual observation

Pooled faecal pellets – usually collected from 5 different animals from same room;

Swab/pooled – also pooled faecal pellets in media collected from animals used for serology testing – usually 2 animals per room